




## Food and Beverage concise



## Prodotti per industria alimentare e per acqua potabile

### Products for food industry and for drinking water



Cilindri in acciaio inossidabile  
a norma ISO 6432,  
diametri da 16 a 25 mm

ISO 6432 stainless steel cylinders,  
diameters from 16 to 25 mm



Cilindri serie HCR, High Corrosion  
Resistance, a norma ISO 15552,  
diametri da 32 a 125 mm

ISO 15552 cylinders Series HCR,  
High Corrosion Resistance,  
diameters from 32 to 125 mm



Cilindri in acciaio inossidabile  
a norma ISO 15552,  
diametri da 32 a 125 mm

ISO 15552 stainless steel cylinders,  
diameters from 32 to 125 mm



Filtri e regolatori per acqua,  
BIT serie F,  
attacchi da 1/8" e 1/4"

Filters and regulators for water,  
BIT Series F,  
1/8" and 1/4" connections



Cilindri in acciaio inossidabile tondi,  
diametri da 32 a 63 mm

Round stainless steel cylinders,  
diameters from 32 to 63 mm



Isole di elettrovalvole per Splash  
area, serie HDM, EB80,  
da 4 a 12 elettrovalvole

Solenoid valve islands for Splash  
area, Series HDM, EB80,  
from 4 to 12 solenoid valves



Raccordi automatici in ottone senza piombo serie F-E e F-NSF, tubi da Ø 4 a 10 mm, filetti da M5 a 1/2"

*Automatic fittings in unleaded brass  
Series F-E and F-NSF, tubes from Ø 4 to 10 mm, threads from M5 to 1/2"*



Raccordi a calzamento in acciaio inossidabile AISI 316, tubi da Ø 6 a 10 mm, filetti da 1/8" a 1/2"

*Push on fittings in AISI 316 stainless steel, tubes from Ø 6 to 10 mm, threads from 1/8" to 1/2"*



Raccordi automatici in ottone senza piombo serie F-E PLUS e F-NSF PLUS, tubi da Ø 4 a 10 mm, filetti da M5 a 1/2"

*Automatic fittings in unleaded brass  
Series F-E PLUS and F-NSF PLUS, tubes from Ø 4 to 10 mm, threads from M5 to 1/2"*



Regolatori di flusso in acciaio inossidabile AISI 316, filetti da 1/8" a 1/2"

*Flow regulators in AISI 316 stainless steel, threads from 1/8" to 1/2"*



Raccordi automatici in acciaio inossidabile AISI 316, tubi da Ø 4 a 12 mm, filetti da M5 a 1/2"

*Automatic fittings in AISI 316 stainless steel, tubes from Ø 4 to 12 mm, threads from M5 to 1/2"*



Cilindri speciali in acciaio inossidabile

*Special cylinders in stainless steel*



Raccordi standard in acciaio inossidabile AISI 316, filetti da 1/8" a 1/2"

*Standard fittings in AISI 316 stainless steel, threads from 1/8" to 1/2"*



#### CERTIFICAZIONI / CERTIFICATIONS:

- CE 98/83	- NSF
- CE 1935/2004	- WRAS
- CE 10/2011	- ROHS
- DVGW	

